

Page 1/7

Revision: 28.06.2018

#### Safety Data Sheet

according to 1907/2006/EC, Article 31

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking · 1.1 Product identifier · Trade name: QCONNECT® - HP® COLOR LASERJET® 124A CYAN · Article number: OB00718 · 1.2 Relevant identified uses of the substance or mixture and uses advised against • Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) · Product category PC18 Ink and toners · Process category PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions · Environmental release category ERC7 Use of functional fluid at industrial site Article category AC13 Plastic articles · Application of the substance / the mixture Printing inks · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Static Control Components (Europe) Ltd. Unit 30, Worton Drive Reading Berkshire RG2 0TG United Kingdom info@scceurope.co.uk

· Further information obtainable from: Product safety department

• 1.4 Emergency telephone number: During normal opening times (08:00-17:00): +44 (0) 118-923-8800

#### **SECTION 2: Hazards Identification**

· 2.1 Classification of the substance or mixture

• Classification according to Regulation (EC) NO. 1272/2008

The product is not classified, according to the CLP regulation.

· 2.2 Label elements

Printing date 14.08.2018

- · Labelling according to Regulation (EC) No 1272/2008 None required
- · Hazard pictograms None required
- · Signal word None required
- · Hazard statements None required
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

#### **SECTION 3: Composition/Information on Ingredients**

- · Description: Resin mixture
- · Dangerous components: None
- · Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 2)



# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 14.08.2018

Revision: 28.06.2018

#### Trade name: QCONNECT® - HP® COLOR LASERJET® 124A CYAN

(Contd. of page 1)

#### SECTION 4: First Aid Measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **SECTION 5: Firefighting Measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- Like most finely divided organic powders, toner dust may form an explosive mixture in air.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

#### **SECTION 6: Accidental Release Measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- $\cdot$  6.3 Methods and material for containment and cleaning up:

Vacuum or sweep the material into a sealed container. If a vacuum is used it must be dust explosion-proof. Dispose of in compliance with national, state, regional or provincial regulations.

- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and Storage**

- · 7.1 Precautions for safe handling
- No special measures required.
- Store in cool, dry place in tightly closed receptacles.
- Keep away from heat and direct sunlight.
- No special precautions are necessary if used correctly.
- Use only in well ventilated areas.
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.

(Contd. on page 3)

GB





Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 14.08.2018

Revision: 28.06.2018

#### Trade name: QCONNECT® - HP® COLOR LASERJET® 124A CYAN

(Contd. of page 2)

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store in a cool location. Store only in the original receptacle.
- Information about storage in one common storage facility:
- Do not store together with oxidising and acidic materials as well as heavy-metal compounds.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.
- Protect from humidity and water.
- $\cdot$  7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure Controls/Personal Protection**

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

 $\cdot$  Additional Occupational Exposure Limit Values for possible hazards during processing:

USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous Silica: USA OSHA (TWA/PEL): 20mppcf 80 mg/m3, ACGIH (TWA/TLV): 10 mg/m3

TRGS 900 (Luftgrenzwert): 10 mg/m3 (Einatembare partikel)). 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust) 5 mg/m3 (Inhalible Dust)

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- $\cdot$  General protective and hygienic measures:
- Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist.
- Protection of hands:
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection: Safety glasses

(Contd. on page 4)

GB



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 14.08.2018

Revision: 28.06.2018

### Trade name: QCONNECT® - HP® COLOR LASERJET® 124A CYAN

(Contd. of page 3)

	1 • 1 /•
9.1 Information on basic physical and c General Information	enemical properties
Appearance:	
Form:	Powder
Colour:	Blue
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: Undetermined.
Flash point:	No data available.
Flammability (solid, gas):	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard in its original state.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	No data available.
Density at 20 °C:	1.3 g/cm <sup>3</sup>
	Not determined.
Relative density	Not determined. No data available.
Vapour density Evaporation rate	No data available.
•	No data available.
Solubility in / Miscibility with water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	No data available.
Kinematic:	No data available.
Solvent content:	
VOC (EC)	0.00 %
Solids content:	100.0 %
9.2 Other information	No further relevant information available.

#### **SECTION 10: Stability and Reactivity**

· 10.1 Reactivity Non reactive.

Page 4/7



#### Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 14.08.2018

Revision: 28.06.2018

(Contd. of page 4)

Trade name: QCONNECT® - HP® COLOR LASERJET® 124A CYAN

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- $\cdot$  10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological Information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Other information (about experimental toxicology):
- Mutagenicity : Ames test Negative (According to the test result of similar composition.)
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- $\cdot$  STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological Information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- $\cdot$  General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- $\cdot$  12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal Considerations**

- · 13.1 Waste treatment methods
- Recommendation Smaller quantities can be disposed of with household waste.

(Contd. on page 6)





Page 6/7

#### Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 14.08.2018

Revision: 28.06.2018

(Contd. of page 5)

#### Trade name: QCONNECT® - HP® COLOR LASERJET® 124A CYAN

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

## SECTION 14: Transport Information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Not a regulated material under the United States DOT, IMDG, ADR, RID,or ICAO/IATA. Void
<ul> <li>· 14.2 UN proper shipping name</li> <li>· ADR, ADN, IMDG, IATA</li> </ul>	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA Void
· 14.3 Transport hazard class(es)	Not a regulated material under the United States DOT, IMDG, ADR, RID, or ICAO/IATA.
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group	Not a regulated material under the United States DOT, IMDG, ADR, RID,or ICAO/IATA.
· ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> </ul>	Not applicable.
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.	
· UN "Model Regulation":	Void

#### **SECTION 15: Regulatory Information**

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other Information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 7)

GB



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 14.08.2018

Revision: 28.06.2018

#### Trade name: QCONNECT® - HP® COLOR LASERJET® 124A CYAN

(Contd. of page 6)

Page 7/7

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

 $\cdot$  \* Data compared to the previous version altered.

No changes to the Material Safety Data Sheet, all sections are current as the date of print seen above describes.